

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**




FIG. 1
(Prior Art)









FIG. 2


**FIG. 3**


**FIG. 4**


**FIG. 5**


**FIG. 6**

**FIG. 7**

**FIG. 8**

**FIG. 9**

**FIG. 10**

**FIG. 11**

Logical port configuration wizard	
<h2>Welcome to the Logical Port Configuration Wizard</h2> <p>This wizard helps you configure your network logical ports to permit correct operation of one or more programs on your computer.</p> <p>Please close all other programs before proceeding to the next screen.</p> <p>Verify that ports 80 and 8080 are open.</p> <p>When ready, click Next.</p>	<p><input type="button" value="Next >"/> <input type="button" value="Cancel"/></p>

FIG. 12

Logical port configuration wizard

Port status report

Application	Port(s)	Protocol	Status
H.323	1720	TCP	Pass
T.120	1503	TCP	Fail

Click Next when ready

< Back

> Next

Done

FIG. 13




FIG. 14